



## CMF / CRF Details

**CMF ID: 1419**

**Add signal (additional primary head)**

**Description:**

**Prior Condition: Intersection has one primary signal head per approach**

**Category: Intersection traffic control**

**Study: [Safety Benefits of Additional Primary Signal Heads, Felipe et al., 1998](#)**

**Star Quality Rating:**



[\[View score details\]](#)

### Crash Modification Factor (CMF)

**Value:** 0.65

**Adjusted Standard Error:**

**Unadjusted Standard Error:**

### Crash Reduction Factor (CRF)

**Value:** 35 (This value indicates a **decrease** in crashes)

**Adjusted Standard Error:**

**Unadjusted Standard Error:**

**Applicability**

<b>Crash Type:</b>	Angle
<b>Crash Severity:</b>	All
<b>Roadway Types:</b>	Not specified
<b>Number of Lanes:</b>	
<b>Road Division Type:</b>	
<b>Speed Limit:</b>	
<b>Area Type:</b>	Urban
<b>Traffic Volume:</b>	
<b>Time of Day:</b>	

***If countermeasure is intersection-based***

<b>Intersection Type:</b>	Roadway/roadway (not interchange related)
<b>Intersection Geometry:</b>	4-leg
<b>Traffic Control:</b>	Signalized
<b>Major Road Traffic Volume:</b>	
<b>Minor Road Traffic Volume:</b>	

**Development Details**

<b>Date Range of Data Used:</b>	
<b>Municipality:</b>	Richmond, British Columbia
<b>State:</b>	
<b>Country:</b>	Canada

<b>Type of Methodology Used:</b>	Before/after using empirical Bayes or full Bayes
<b>Sample Size Used:</b>	Sites
<b>Before Sample Size Used:</b>	8 Sites
<b>After Sample Size Used:</b>	8 Sites

<b>Other Details</b>	
<b>Included in Highway Safety Manual?</b>	No
<b>Date Added to Clearinghouse:</b>	Dec-01-2009
<b>Comments:</b>	The authors state that "three year of data were used for this analysis" (p. 7). This statement does not indicate if the before period was 3 years, the after period was 3 years, both were 3 years, or the total time period was 3 years (i.e. 1.5 years for before period and 1.5 years for after period).

---

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

*The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.*