



## CMF / CRF Details

**CMF ID: 4528**

**10-ft to 30-ft conversion (median width)**

**Description: Convert a 10-ft traversable median to a 30-ft traversable median**

**Prior Condition: 10-ft wide traversable median**

**Category: Access management**

**Study: [Crash Reduction Factors for Traffic Engineering and ITS Improvements, Harkey et al., 2008](#)**

**Star Quality Rating:**



### Crash Modification Factor (CMF)

**Value:** 0.74

**Adjusted Standard Error:**

**Unadjusted Standard Error:** 0.04

### Crash Reduction Factor (CRF)

**Value:** 26 (This value indicates a **decrease** in crashes)

**Adjusted Standard Error:**

**Unadjusted Standard Error:**

4

### Applicability

**Crash Type:**

Cross median

**Crash Severity:**

Not specified

**Roadway Types:**

Not specified

**Number of Lanes:**

4

**Road Division Type:**

Divided by Median

**Speed Limit:**

**Area Type:**

Rural

**Traffic Volume:**

2400 to 119000 *Annual Average Daily Traffic (AADT)*

**Time of Day:**

*If countermeasure is intersection-based*

**Intersection Type:**

**Intersection Geometry:**

**Traffic Control:**

**Major Road Traffic Volume:**

**Minor Road Traffic Volume:**

### Development Details

**Date Range of Data Used:**

**Municipality:**

**State:**

<b>Country:</b>	
<b>Type of Methodology Used:</b>	Before/after using empirical Bayes or full Bayes
<b>Sample Size Used:</b>	

<b>Other Details</b>	
<b>Included in Highway Safety Manual?</b>	
<b>Date Added to Clearinghouse:</b>	Dec-01-2009
<b>Comments:</b>	Full access control

---

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

*The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.*