



CMF / CRF Details

CMF ID: 8807

Convert High-Occupancy-Vehicle (HOV) lanes to High-Occupancy-Toll (HOT) lanes

Description: convert a High-Occupancy-Vehicle (HOV) interstate segment into a High-Occupancy-Toll (HOT) segment

Prior Condition: No HOT lanes

Category: Roadway

Study: [Effects of Using High Occupancy Vehicle Lanes on Safety Performance of Freeways, Abuzwidah and Abdel-Aty, 2017](#)

Star Quality Rating:



[\[View score details\]](#)

Crash Modification Factor (CMF)

Value: 0.62

Adjusted Standard Error:

Unadjusted Standard Error: 0.07

Crash Reduction Factor (CRF)

Value: 38 (This value indicates a **decrease** in crashes)

Adjusted Standard Error:	
Unadjusted Standard Error:	7

Applicability	
Crash Type:	Angle,Sideswipe,Other
Crash Severity:	All
Roadway Types:	Principal Arterial Interstate
Number of Lanes:	5
Road Division Type:	Divided by Median
Speed Limit:	
Area Type:	
Traffic Volume:	
Time of Day:	All

<i>If countermeasure is intersection-based</i>	
Intersection Type:	
Intersection Geometry:	
Traffic Control:	
Major Road Traffic Volume:	
Minor Road Traffic Volume:	

Development Details	
Date Range of Data Used:	2005 to 2013
Municipality:	Miami

State:	FL
Country:	USA
Type of Methodology Used:	2
Sample Size Used:	

Other Details	
Included in Highway Safety Manual?	No
Date Added to Clearinghouse:	Nov-17-2017
Comments:	CMF applies to HOT lanes only. Crash type = lane change related (i.e. sideswipe, angle, etc.). The number of crashes in the after period were not reported in this study, however, they have been recorded as 300 to give 10 points as a benefit of doubt for one or more of the following: (1) number of miles/sites in the reference/treatment group, (2) number of crashes in the references/treatment group, (3) reporting AADTs for the aggregate dataset but not for the disaggregate dataset used for CMF development.

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.