



# CMF / CRF Details

**CMF ID: 10084**

**Conversion of intersection to roundabout**

**Description:** Conversion of stop- and signal-controlled intersections into roundabouts

**Prior Condition:** Intersections without roundabouts

**Category:** Intersection geometry

**Study:** [Safety Evaluation of Roundabouts in Georgia, Gbologah et al., 2019](#)

<b>Star Quality Rating:</b>	
<input type="text" value="3 Stars"/>	<a href="#">[View score details]</a>

<b>Crash Modification Factor (CMF)</b>	
<b>Value:</b>	0.642
<b>Adjusted Standard Error:</b>	
<b>Unadjusted Standard Error:</b>	

<b>Crash Reduction Factor (CRF)</b>	
<b>Value:</b>	35.8 (This value indicates a <b>decrease</b> in crashes)
<b>Adjusted Standard Error:</b>	
<b>Unadjusted Standard Error:</b>	

## Applicability

**Crash Type:**

All

**Crash Severity:**

All

**Roadway Types:**

Not specified

**Number of Lanes:**

**Road Division Type:**

Undivided

**Speed Limit:**

**Area Type:**

All

**Traffic Volume:**

**Time of Day:**

All

### *If countermeasure is intersection-based*

**Intersection Type:**

Roadway/roadway (not interchange related)

**Intersection Geometry:**

4-leg

**Traffic Control:**

Not specified

**Major Road Traffic Volume:**

**Minor Road Traffic Volume:**

## Development Details

**Date Range of Data Used:**

2007 to 2014

**Municipality:**

**State:**

GA

**Country:**

United States

**Type of Methodology Used:**

2

**Sample Size Used:**

**Other Details**

**Included in Highway Safety Manual?**

No

**Date Added to Clearinghouse:**

Jul-26-2019

**Comments:**

Applies to the conversion of a four-leg intersection to a single-lane roundabout. CMF analysis omits roundabout locations with less than four average observed crashes per year in before period as one sample, roundabout locations with just a single data-year of crashes in before or after period, and roundabout locations with zero observed crashes in the before period.

---

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

*The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.*