CMF / CRF Details

CMF ID: 3256

Installation of bicycle lanes at signalized intersections with exclusive right turn lanes

Description: Installation of bicycle lanes at signalized intersections with exclusive right turn lanes

Prior Condition: No bicycle lanes, cyclists shared the roadway with motor vehicles

Category: Bicyclists

Study: <u>Safety Performance Functions for Bicycle Crashes in New Zealand and Australia</u>, Turner et al., 2011

Star Quality Rating:	∑ Stars [View score details]

Crash Modification Factor (CMF)	
Value:	1.36
Adjusted Standard Error:	
Unadjusted Standard Error:	

Crash Reduction Factor (CRF)	
Value:	-36 (This value indicates an increase in crashes)
Adjusted Standard Error:	
Unadjusted Standard Error:	

Applicability		
Crash Type:	Vehicle/bicycle	
Crash Severity:	AII	
Roadway Types:	AII	
Number of Lanes:		
Road Division Type:	All	
Speed Limit:		
Area Type:	Urban and suburban	
Traffic Volume:		
Time of Day:	All	
If c	If countermeasure is intersection-based	
Intersection Type:	Roadway/roadway (not interchange related)	
Intersection Geometry:	4-leg	
Traffic Control:	Signalized	
Major Road Traffic Volume:		
Minor Road Traffic Volume:		

Development Details	
Date Range of Data Used:	
Municipality:	Adelaide
State:	
Country:	New Zealand

Type of Methodology Used:	2
Sample Size Used:	

Other Details	
Included in Highway Safety Manual?	No
Date Added to Clearinghouse:	Jul-15-2011
Comments:	note: study was performed in New Zealand and turning directions have been reversed for right-side driving countries when entered

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.