



CMF / CRF Details

CMF ID: 4787

Install wider markings and shoulder rumble strips with resurfacing

Description: Resurface roadway to improve rideability and install wider pavement markings (increase from 4 inch to 6 inch) and shoulder rumble strips.

Prior Condition: *No Prior Condition(s)*

Category: Delineation

Study: [Benefit/Cost Evaluation of MoDOT's Total Striping and Delineation Program: Phase II, Potts et al., 2011](#)

Star Quality Rating:	
<input type="text" value="4 Stars"/>	[View score details]

Crash Modification Factor (CMF)	
Value:	0.75
Adjusted Standard Error:	
Unadjusted Standard Error:	0.123

Crash Reduction Factor (CRF)	
Value:	25 (This value indicates a decrease in crashes)
Adjusted Standard Error:	
Unadjusted Standard Error:	12.3

Applicability

Crash Type:	All
Crash Severity:	K (fatal),A (serious injury),B (minor injury),C (possible injury)
Roadway Types:	Not specified
Number of Lanes:	multi
Road Division Type:	Divided by Median
Speed Limit:	
Area Type:	Rural
Traffic Volume:	
Time of Day:	All

If countermeasure is intersection-based

Intersection Type:	
Intersection Geometry:	
Traffic Control:	
Major Road Traffic Volume:	
Minor Road Traffic Volume:	

Development Details

Date Range of Data Used:	2002 to 2009
Municipality:	
State:	MO
Country:	

Type of Methodology Used:	2
Sample Size Used:	Crashes
Before Sample Size Used:	46 Crashes
After Sample Size Used:	41 Crashes

Other Details	
Included in Highway Safety Manual?	No
Date Added to Clearinghouse:	May-01-2013
Comments:	

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.