



CMF / CRF Details

CMF ID: 6646

Change shoulder width from 8 ft to SW (in feet)

Description:

Prior Condition: *No Prior Condition(s)*

Category: Shoulder treatments

Study: [Evaluating the Need for Surface Treatments to Reduce Crash Frequency on Horizontal Curves, Pratt et al., 2014](#)

Star Quality Rating:

Stars

[\[View score details\]](#)

Crash Modification Factor (CMF)

Value:

$$CMF_{ISW} = e^{-0.0296(ISW-4)}$$

Adjusted Standard Error:

Unadjusted Standard Error:

Crash Reduction Factor (CRF)

Value:

(This value indicates an **increase** in crashes)

Adjusted Standard Error:

Unadjusted Standard Error:

Applicability

Crash Type:	Wet road
Crash Severity:	K (fatal),A (serious injury),B (minor injury),C (possible injury)
Roadway Types:	All
Number of Lanes:	4
Road Division Type:	Divided by Median
Speed Limit:	80
Area Type:	
Traffic Volume:	972 to 70368 <i>Average Daily Traffic (ADT)</i>
Time of Day:	Not specified

If countermeasure is intersection-based

Intersection Type:	
Intersection Geometry:	
Traffic Control:	
Major Road Traffic Volume:	
Minor Road Traffic Volume:	

Development Details

Date Range of Data Used:	2007 to 2011
Municipality:	
State:	TX
Country:	USA

Type of Methodology Used:	7
Sample Size Used:	

Other Details	
Included in Highway Safety Manual?	No
Date Added to Clearinghouse:	Jun-22-2015
Comments:	This CMF is for crashes on horizontal curves. For situations where the existing (prior) condition is not an 8 ft shoulder width, calculate CMFs separately for the existing condition and the proposed condition and then divide the proposed condition CMF by the existing condition CMF to arrive at the final CMF.

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.