



CMF / CRF Details

CMF ID: 7757

Widen shoulder

Description:

Prior Condition: Roadways with narrow shoulders

Category: Shoulder treatments

Study: [Validation and Application of Highway Safety Manual \(Part D\) in Florida, Abdel-Aty et al., 2014](#)

Star Quality Rating:

4 Stars

[\[View score details\]](#)

Crash Modification Factor (CMF)

Value: 0.51

Adjusted Standard Error:

Unadjusted Standard Error: 0.13

Crash Reduction Factor (CRF)

Value: 49 (This value indicates a **decrease** in crashes)

Adjusted Standard Error:

Unadjusted Standard Error: 13

Applicability

Crash Type:	All
Crash Severity:	K (fatal),A (serious injury),B (minor injury),C (possible injury)
Roadway Types:	Not specified
Number of Lanes:	>2
Road Division Type:	All
Speed Limit:	65-70
Area Type:	Rural
Traffic Volume:	2000 to 50000 <i>Annual Average Daily Traffic (AADT)</i>
Time of Day:	All

If countermeasure is intersection-based

Intersection Type:	
Intersection Geometry:	
Traffic Control:	
Major Road Traffic Volume:	
Minor Road Traffic Volume:	

Development Details

Date Range of Data Used:	2005 to 2010
Municipality:	
State:	FL
Country:	USA
Type of Methodology Used:	2

Sample Size Used:

Other Details

Included in Highway Safety Manual?

No

Date Added to Clearinghouse:

Mar-08-2016

Comments:

CMFs of widening shoulder width on rural multi-lane highways The number of crashes in the after period were not reported in this study, however, they have been recorded as 300 to give 10 points as a benefit of doubt for one or more of the following: (1) number of miles/sites in the reference/treatment group, (2) number of crashes in the references/treatment group, (3) reporting AADTs for the aggregate dataset but not for the disaggregate dataset used for CMF development.

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.