



CMF / CRF Details

CMF ID: 8256

Install separated bicycle lane

Description: Bike lanes separated from motorized traffic by different types of barriers and/or parking lane configurations

Prior Condition: No separate bicycle lane

Category: Bicyclists

Study: [Separated Bike Lane Crash Analysis, Rothenberg et al., 2016](#)

Star Quality Rating:	
	<input type="text" value="✘ Star"/>

Crash Modification Factor (CMF)	
Value:	1.011
Adjusted Standard Error:	
Unadjusted Standard Error:	

Crash Reduction Factor (CRF)	
Value:	-1.1 (This value indicates an increase in crashes)
Adjusted Standard Error:	
Unadjusted Standard Error:	

Applicability

Crash Type:

All

Crash Severity:

All

Roadway Types:

Not specified

Number of Lanes:

Road Division Type:

Speed Limit:

Area Type:

Not specified

Traffic Volume:

Time of Day:

Not specified

If countermeasure is intersection-based

Intersection Type:

Intersection Geometry:

Traffic Control:

Major Road Traffic Volume:

Minor Road Traffic Volume:

Development Details

Date Range of Data Used:

Municipality:

State:

CA, DC, FL, IL, MT, NY, OR, TX

Country:

USA

Type of Methodology Used:

3

Sample Size Used:

Other Details

Included in Highway Safety Manual?

No

Date Added to Clearinghouse:

Jan-17-2017

Comments:

CMF Applies to average total crashes when bicycle lane is separated by a parking lane only. Study sites were located in Texas, Illinois, Oregon, California, Montana, New York, Florida, and Washington DC; however, it is unclear which States were used for the development of this CMF. The number of crashes in the after period were not reported in this study, however, they have been recorded as 300 to give 10 points as a benefit of doubt for one or more of the following: (1) number of miles/sites in the reference/treatment group, (2) number of crashes in the references/treatment group, (3) reporting AADTs for the aggregate dataset but not for the disaggregate dataset used for CMF development.

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.