



# CMF / CRF Details

**CMF ID: 9254**

**Increase lane width by 1 ft**

**Description: Increase lane width by 1 ft**

**Prior Condition: *No Prior Condition(s)***

**Category: Roadway**

**Study: [Statewide Analysis of Bicycle Crashes, Alluri et al., 2017](#)**



|                             |   |
|-----------------------------|---|
| <b>Star Quality Rating:</b> | <input type="text" value="8 Stars"/> <a href="#">[View score details]</a> |
|-----------------------------|---|



|                                   |      |
|-----------------------------------|------|
| <b>Value:</b>                     | 0.75 |
| <b>Adjusted Standard Error:</b>   |      |
| <b>Unadjusted Standard Error:</b> |      |



|                                   |  |
|-----------------------------------|--|
| <b>Value:</b>                     | 25 (This value indicates a <b>decrease</b> in crashes) |
| <b>Adjusted Standard Error:</b>   |  |
| <b>Unadjusted Standard Error:</b> |  |



|                            |  |
|----------------------------|--|
| <b>Crash Type:</b>         | Vehicle/bicycle  |
| <b>Crash Severity:</b>     | All  |
| <b>Roadway Types:</b>      | Principal Arterial Other                                 |
| <b>Number of Lanes:</b>    | 6  |
| <b>Road Division Type:</b> | Divided by Median  |
| <b>Speed Limit:</b>        |  |
| <b>Area Type:</b>          | Urban  |
| <b>Traffic Volume:</b>     | 5700 to 98500 <i>Annual Average Daily Traffic (AADT)</i> |
| <b>Time of Day:</b>        | Not specified  |

***If countermeasure is intersection-based***

|                                   |  |
|-----------------------------------|--|
| <b>Intersection Type:</b>         |  |
| <b>Intersection Geometry:</b>     |  |
| <b>Traffic Control:</b>           |  |
| <b>Major Road Traffic Volume:</b> |  |
| <b>Minor Road Traffic Volume:</b> |  |

**Development Details**

|                                  |              |
|----------------------------------|--------------|
| <b>Date Range of Data Used:</b>  | 2011 to 2014 |
| <b>Municipality:</b>             |              |
| <b>State:</b>                    | FL           |
| <b>Country:</b>                  |              |
| <b>Type of Methodology Used:</b> | 7            |
| <b>Sample Size Used:</b>         |              |

## Other Details

|   |   |
|---|---|
| <b>Included in Highway Safety Manual?</b> | No  |
| <b>Date Added to Clearinghouse:</b>       | Jun-17-2018   |
| <b>Comments:</b>                          | Minor arterial, major collector, and minor collector facility types were also included. |

---

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

*The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.*